STORING OF TABLETS AT SCHOOLS AND INSTITUTIONS



CHARGE IT, STORE IT, MANAGE IT



USB-C

A tough and portable storage and charging solution for 20 tablets.

NoteCase Aarhus 20 Tablets is a strong case for schools where IT equipment and other devices are frequently used in a number of locations and sometimes handled roughly.

NoteCase is an excellent solution for moving tablets, iPads or similar devices from one classroom to another, or to multiple locations in and around the school. Transport is easy thanks to the case's user-friendly design – with multiple handles, wheels and a telescoping handle – especially when transporting the devices up and down stairs.

But NoteCase is not just a safe storage solution, it also allows simultaneous charging of multiple devices via our "best in class" intelligent NoteCharge USB chargers. NoteCase's cable management system reduces clutter and protects cables against damage or loss.







CHARGE IT, STORE IT, MANAGE IT

NoteCase 20 Tablets KidsCover Solutions

- For the storage, transport and charging of 20 iPads with KidsCovers.
- Strong and easy to transport thanks to easy-roll wheels and a telescoping handle.
- · Handles on the sides and front for flexible, effortless movement of the case.
- · Cable management system ensures cables aren't lost or tangled
- · Padlock-ready clasps on the front ensure safe and secure storage of the tablets.
- · Ventilation openings prevent overheating while charging.

NEXT LEVEL TIMER/CHARGE FUNCTION

The integrated USB charging function ensures intelligent charging. The ports will turn off once the devices are fully charged. This protects the batteries of the devices.

COOLING WITH THE LID CLOSED

Aarhus is fitted with an ACTIVE air-flow system based on air-flow studies performed on Aarhus in a heat chamber. The air-flow system allows tablets to be charged safely with the lid closed.

The metal plate covering the chargers is integrated into the cooling system and also serves as a cooling plate.

Cool air drawn in through the vents in the lidcirculates over the iPads before continuing through the holes in the metal cooling plate to the chargers, where it exists the case. This prevents heat from the chargers from reaching the tablets.

EXTRA SECURITY

Even with the best ventilation system in the case itself, there is always a risk that the area around the case may become extremely hot or that the case may be accidentally covered. That is why our charging system is fitted with a heat switch that automatically switches the charging unit off when the temperature is too high.

VARIANTS

- 1. NoteCase 20 Tablets KidsCover, USB-A
- 2. NoteCase 20 Tablets KidsCover, USB-A, Sync

ITEM NUMBER

NoteCase 20 Tablets KidsCover, USB-C Model NCASE-20K-UC-SC











- 1. Case with easy-roll wheels and a telescopic handle.
- 2. 3 handles with 90° extension on the sides and front.
- 3. Integrated lid-pocket for various accessories and photo of how USB chargers and cables are mounted, fixed and secured under the metal plate during operations.
- 4. Cable management system (cables not included).
- 5. Separate switch for charging, and a switch for options, e.g., surge protection.

leba-innovation.com



CHARGE IT, STORE IT, MANAGE IT

NoteCase Aarhus 20 Tablets KidsCover*, USB-C Technical Specifications

Part Number: NCASE-20K-UC-SC

EXTERNAL DIMENSIONS		COMPARTMENT DIMENSIONS	20 compartments
Length	690 mm	Length	25 mm
Width	520 mm	Width	290 mm
Height	360 mm	Height	280 mm
WEIGHT	17 kg	WHEELS	Two easy-roll wheels
SECURITY SYSTEM	Four easy-to-operate clasps designed for padlocks. Optional: Padlock	HANDLES	One handle on each side, one front handle, one telescopic handle.
			Height with fully extended telescopic handle: 1050 mm
CABLE MANAGEMENT	Yes	VENTILATION BY AIR FLOW DESIGN	Active ventilation through chimney principle
CONNECTING CABLE	C13 to Schuko 1.8m		(Holes at the top) and fan, max 36 dB
CONNECTOR	C13 Coupler female	RECOMMENDED CARE	Wipe clean with a damp cloth
ON/OFF:	Illuminated on/off switch, 13A fuse	CASE MATERIAL	Polypropylene copolymer, black
CHARGING	USB Type-C, PD 2.0/3.2 Gen 1 (3.1 Gen 1). 20 watts available per device	SYNCHRONIZATION	No
DISPOSAL	According to local specifications	PACKAGING	Cardboard packaging, 100% recyclable

Certifications

CE, RoHS

Guarantee

2 years on the electrical components, 5 years on the body

NOTE! Do not place anything on top of NoteCase while charging.

leba-innovation.com